

RUST REMOVER AND BROWN-OUT

de-rust plus™



1100 Central Industrial Drive
St. Louis, Mo 63110
1-800-325-9218
314-771-6600
E-Mail: inter001@aol.com
www.interconchemical.com

Product Properties

COLOR: Clear, Colorless
ODOR: Characteristic
VISCOSITY: 10 cps
pH: 3.0
SPECIFIC GRAVITY: 1.08
FOAMING: None
ACTIVE AGENTS: Organic and
Inorganic Acids

Description

This rust and mineral remover quickly and effectively removes rust, iron and other mineral stains from linens, either as a spot treatment or when added to the wash wheel. Saves linen replacement costs by getting unsightly rust-spotted linens back into service. Buffered formula for improved user safety. Excellent for use as a carpet brown-out (when diluted) or as a rust spotter (undiluted.)

Features...Benefits

- Fast ActingLabor Saving
- VersatileEasy to Use
- Buffered FormulaSafer to Use
- Removes Unsightly StainsSaves Linen Costs
- Low OdorPleasant to Use

Directions For Use

Apply directly to rust spots or iron stains undiluted. Always apply out to the edge of circular stains to ensure complete removal. Allow up to 5 minutes contact time for best results, then launder as usual. May also be added to automatic washers in the final rinse cycle at the rate of 4 to 8 ounces per 50 pounds of discolored linen.

NOTE: Do not use in washers with enamelled wheel linings.

CARPET USE: Use undiluted for rust spots. Apply directly to spot, agitate with a clean cloth and follow with a fresh water rinse. Blot area thoroughly.

For brown-out treatment, dilute product at 1:16 (8 oz./gal.) and apply by extractor or spray.

NOTE: Test product for compatibility with carpet in an inconspicuous area before use of this product.

Safety Information

KEEP OUT OF REACH OF CHILDREN

DANGER. CORROSIVE. Causes burns to eyes and skin. Harmful or fatal if swallowed. Avoid contact with eyes and skin. In case of contact with eyes, flush with plenty of water for 15 minutes. Seek medical attention. In case of contact with skin, wash with soap and water. Seek medical attention if irritation persists. Do not take internally. If swallowed, drink plenty of milk or water. Seek medical attention immediately. Do not induce vomiting.